

Laboratory Rodent Diet

500I*

DESCRIPTION

Laboratory Rodent Diet is recommended for rats, mice, hamsters and gerbils. This diet is a complete life cycle diet formulated using managed formulation, delivering Constant Nutrition®. This is paired with the selection of highest quality ingredients to assure minimal inherent biological variation in long-term studies. It is formulated for life-cycle nutrition; however, it is not designed for maximizing production in mouse breeding colonies. This product has been the standard of biomedical research for over 70 years.

Features and Benefits

- Managed Formulation delivers Constant Nutrition®
- High quality animal protein added to create a superior balance of amino acids for optimum performance
- Formulated for multiple species for single product inventory
- The rodent diet standard for biomedical research

Product Forms Available

- Oval pellet, 10 mm x 16 mm x 25 mm length (3/8"x5/8"x1")
- Meal (ground pellets)

Other Versions Available

- 5L0D PicoLab® Laboratory Rodent Diet (Minimum order required)

GUARANTEED ANALYSIS

| | | |
|-----------------------------|-------|--------|
| Crude protein not less than | | .23.0% |
| Crude fat not less than | | .4.5% |
| Crude fiber not more than | | .6.0% |
| Ash not more than | | .8.0% |
| Moisture not more than | | .12.0% |

INGREDIENTS

Dehulled soybean meal, ground corn, dried beet pulp, fish meal, ground oats, dehydrated alfalfa meal, cane molasses, brewers dried yeast, wheat germ, whey, porcine animal fat preserved with BHA and citric acid, wheat middlings, porcine meat and bone meal, salt, calcium carbonate, DL-methionine, choline chloride, cholecalciferol, folic acid, vitamin A acetate, menadione dimethylpyrimidinol bisulfite (source of vitamin K), pyridoxine hydrochloride, thiamine mononitrate, biotin, nicotinic acid, calcium pantothenate, dl-alpha tocopheryl acetate (form of vitamin E), vitamin B₁₂ supplement, riboflavin supplement, ferrous sulfate, manganese oxide, zinc oxide, ferrous carbonate, copper sulfate, zinc sulfate, calcium iodate, cobalt carbonate, sodium selenite.

FEEDING DIRECTIONS

Feed ad libitum to rodents. Plenty of fresh, clean water should be available to the animals at all times.

Rats- All rats will eat varying amounts of feed depending on their genetic origin. Larger strains will eat up to 30 grams per day. Smaller strains will eat up to 15 grams per day. Feeders in rat cages should be designed to hold two to three days supply of feed at one time.

Mice- Adult mice will eat up to 5 grams of pelleted ration daily. Some of the larger strains may eat as much as 8 grams per day per animal. Feed should be available on a free choice basis in wire feeders above the floor of the cage.

Hamsters- Adults will eat up to 14 grams per day.

For information regarding shelf life please visit www.labdiet.com.

CHEMICAL COMPOSITION¹

Nutrients²

| | | |
|--|-------|-------------|
| Protein, % | | 25.0 |
| Arginine, % | | 1.57 |
| Cystine, % | | 0.39 |
| Glycine, % | | 1.28 |
| Histidine, % | | 0.62 |
| Isoleucine, % | | 1.06 |
| Leucine, % | | 1.89 |
| Lysine, % | | 1.48 |
| Methionine, % | | 0.59 |
| Phenylalanine, % | | 1.11 |
| Tyrosine, % | | 0.77 |
| Threonine, % | | 0.97 |
| Tryptophan, % | | 0.28 |
| Valine, % | | 1.16 |
| Serine, % | | 1.18 |
| Aspartic Acid, % | | 2.81 |
| Glutamic Acid, % | | 4.74 |
| Alanine, % | | 1.44 |
| Proline, % | | 1.47 |
| Taurine, % | | 0.03 |
| Fat (ether extract), % | | 5.0 |
| Fat (acid hydrolysis), % | | 6.4 |
| Cholesterol, ppm | | 209 |
| Linoleic Acid, % | | 1.05 |
| Linolenic Acid, % | | 0.09 |
| Arachidonic Acid, % | | 0.02 |
| Omega-3 Fatty Acids, % | | 0.30 |
| Total Saturated Fatty Acids, % | | 1.48 |
| Total Monounsaturated | | |
| Fatty Acids, % | | 1.62 |
| Fiber (Crude), % | | 5.3 |
| Neutral Detergent Fiber ³ , % | | 16.7 |
| Acid Detergent Fiber ⁴ , % | | 6.9 |

Nitrogen-Free Extract

| | | |
|--------------------|-------|-------------|
| (by difference), % | | 47.5 |
| Starch, % | | 21.0 |
| Glucose, % | | 0.19 |
| Fructose, % | | 0.27 |
| Sucrose, % | | 3.83 |
| Lactose, % | | 2.01 |

| | | |
|--------------------------------------|-------|-------------|
| Total Digestible Nutrients, % | | 73.8 |
| Gross Energy, kcal/gm | | 4.09 |

| | | |
|--|-------|-------------|
| Physiological Fuel Value⁵, | | 3.35 |
| Metabolizable Energy, | | 2.91 |

Minerals

| | | |
|-----------------------------|-------|------------|
| Ash, % | | 7.0 |
| Calcium, % | | 0.95 |
| Phosphorus, % | | 0.70 |
| Phosphorus (non-phytate), % | | 0.42 |
| Potassium, % | | 1.28 |
| Magnesium, % | | 0.23 |

Vitamins

| | | |
|---------------------------------------|-------|------|
| Sulfur, % | | 0.36 |
| Sodium, % | | 0.39 |
| Chloride, % | | 0.64 |
| Fluorine, ppm | | 15 |
| Iron, ppm | | 240 |
| Zinc, ppm | | 85 |
| Manganese, ppm | | 75 |
| Copper, ppm | | 15 |
| Cobalt, ppm | | 0.91 |
| Iodine, ppm | | 0.99 |
| Chromium (added), ppm | | 0.01 |
| Selenium, ppm | | 0.41 |
| Carotene, ppm | | 2.3 |
| Vitamin K, ppm | | 1.3 |
| Thiamin Hydrochloride, ppm | | 16 |
| Riboflavin, ppm | | 4.7 |
| Niacin, ppm | | 120 |
| Pantothenic Acid, ppm | | 24 |
| Choline Chloride, ppm | | 2250 |
| Folic Acid, ppm | | 7.1 |
| Pyridoxine, ppm | | 6.0 |
| Biotin, ppm | | 0.30 |
| B ₁₂ , mcg/kg | | 51 |
| Vitamin A, IU/gm | | 15 |
| Vitamin D ₃ (added), IU/gm | | 4.6 |
| Vitamin E, IU/kg | | 42 |
| Ascorbic Acid, mg/gm | | — |

Calories provided by:

| | | |
|------------------------|-------|--------|
| Protein, % | | 29.829 |
| Fat (ether extract), % | | 13.427 |
| Carbohydrates, % | | 56.744 |

*Product Code

1. Formulation based on calculated values from the latest ingredient analysis information. Since nutrient composition of natural ingredients varies and some nutrient loss will occur due to manufacturing processes, analysis will differ accordingly.
2. Nutrients expressed as percent of ration except where otherwise indicated. Moisture content is assumed to be 10.0% for the purpose of calculations.
3. NDF = approximately cellulose, hemi-cellulose and lignin.
4. ADF = approximately cellulose and lignin.
5. Physiological Fuel Value (kcal/gm) = Sum of decimal fractions of protein, fat and carbohydrate (use Nitrogen Free Extract) x 4.94 kcal/gm respectively.